Personnel Deposit Locker

Specifications



Traka's Personnel Deposit Lockers enable staff, contractors, visitors, or students to deposit their personal possessions securely and retrieve later.

Traka's unique Personnel Deposit Lockers can be networked but can also be offered as a simple standalone solution to provide secure temporary storage.

Charging facilities can be built into the system so users can re-charge a laptop, phone or other electronic device.

These smart lockers can be used in various applications, such as employee lockers, parcel lockers, school lockers, or temporary deposit lockers.



General features

- Range of 6 system stack types and 31 compartment size options available
- Equipment is readily available 24/7 to authorized users only
- Full audit trail of users and equipment transactions
- 7" capacitive touch screen for accurate input
- Easy access via a wide range of identification methods

Standalone features

- Operates entirely independently of your IT system with no network, PC or external connection required
- USB port for import/export of reports via flash drive
- Automatic data back up to removable SD card

Network features

- Full network capability and management through TrakaWEB
- Centralized administration and reporting
- Browser based allowing for remote administration
- Integrate with existing access control and third-party systems to provide centralized control and visibility

Optional features

- Different compartment sizes can be combined to create a solution tailored to your needs
- Locker stacks can be combined to form a system with up to 100 compartments
- Compartments available as simple storage, with or without integrated charging

Specifications

Stack data

Stack type	Height (overall) options:	Width (overall) options:	Depth (overall) options:	Weight¹ (empty)
Type 1		700 mm / 27.6 in	600 mm / 23.6 in	95 kg / 210 Ibs
Type 2				
Type 3				
Type 4	1900 mm /74.8 in	300 mm / 11.8 in 500 mm / 19.7 in	400 mm / 15.8 in 500 mm / 19.7 in 600 mm / 23.6 in	85 kg / 188 Ibs
Type 5			000111111/23.0111	
Type 6				

¹Empty stack weight based on largest stack size for given door capacity

Compartment data

Stack type	No. compart- ments per stack	Height	Width	Depth
Type 1	2	760 mm / 29.9 in	585 mm / 23.0 in	550 mm / 21.7 in
Type 2	2	845 mm / 33.3 in		350 mm / 13.8 in 450 mm / 17.7 in 550 mm / 21.7 in
Type 3	3	560 mm / 22.0 in	185 mm / 7.3 in 385 mm / 15.2 in	
Type 4	4	415 mm / 16.3 in		
Type 5	5	330 mm / 13.0 in		
Туре 6	6	275 mm / 10.8 in		

Max. compartments per system: Up to 100 per Touch controller

Material data

Cabinet material: Zintec steel

Color: Standard frames are RAL7021 (black grey) and doors RAL9003 (signal white). Other RAL colors are available upon request.

Door material: Solid metal or clear polycarbonate viewing panel

Electrical data

Power supply: Input: 100-240V AC, Output: 15V DC

Battery backup: DC12 7AH

Power supply rating (without charging): 35W (max)

Power supply rating (with charging): As above plus electrical load required

after consulting with Traka for more details

Environmental data

Operating temp: Ambient, for indoor use only (-5°C to +40°C / +23°F to +104°F at 95% non-condensing relative humidity)

Installation data

Mounting: Not suitable for freestanding applications. Must be securely fixed to a load bearing wall.

Network & connectivity data

Communications: Ethernet (AES-256 encryption)

Reader interface options: Clock/data, Wiegand, Serial (RS232/TTL) PIN only,

OSDP Readers (RS485) with or without Encryption

Alarm interface: x3 2A/30V DC max. rated relay contacts for connecting to

alarms, access control systems, CCTV, etc.

Conformity & standards data

Certifications: UKCA(UK); CE(EU)

Quality: ISO9001

Environmental: ISO14001 Information Security: ISO27001

For more information on Traka and the benefits of intelligent lockers, please visit traka.com

traka.com

The ASSA ABLOY Group is the global leader in access solutions. Every day we help people feel safe, secure and experience a more open world.